

Comfortable, rotating TV lift

The Rotolift series, in addition to the lifting and lowering functions, also has the ability to rotate the mounted TV. RF Operated with RF Remote delivered in the set. Rotation 225° Clockwise and 90° counter-clockwise. Soft start and soft stop function keep the mechanism working for even longer. Universal TV mount covers VESA standards from 200x200 to 600x600 and everything in between. The top and low viewing positions can be easily programmed via the control box. The premium control box allows most of the premium conveniences. Unique and patented TV weighting system stops and raises the lift slightly even if a slight obstacle is encountered - therefore protecting both the unit and the users around it. Additional power cord allows connecting TV directly to the lift -no need for extra cables. Power Guard function protects the TV from lowering it when turned on - cutting the power of the screen, so that it's always hidden securely. Electric motor protected from too much load and overheating. 5 Year warranty with over 80 thousand cycles on full load ensured. This model requires mounting lid on the top of the TV - propper brackets with easy mounting instructions are provided. A Multicode IR-Receiver can be purchased separately to operate a TV lift with IR remotes.



RF remote control included



Easy angle adjustment



Active RJ-45 socket + Power Guard




Safety systems



Cable guide



5 year warranty




Compatible accessories on pages 56 - 57



Specification

	K-1 Rotolift	K-2 Rotolift	K-3 Rotolift	K-5 Rotolift
lifting capacity	30 kg (65 lb)	50 kg (110 lb)	60 kg (130 lb)	60 kg (130 lb)
lifting height	721 mm (28")	842 mm (33")	934 mm (38")	1040 mm (41")
max. VESA	600x600			
angle of rotation	Left: 225° / Right: 90°			
rotation speed	1.5 rpm			
lifting speed	20 mm/s			
power consumption	80W			
power supply	115V/230V			



Extension bracket available
for low mount LED TV
Product ID: K-BRCK-EXTD

Dimensions [mm]

	K-1 Rotolift	K-2 Rotolift	K-3 Rotolift	K-5 Rotolift
A	762	823	887	967
B	1483	1665	1821	2012
C	508	708	708	708
D	112	112	112	112
E	530	600	670	740
F	100x400	100x600	100x600	100x600
G	112	112	112	112